



Glide Rehabilitation Products
 ABN 60 157 412 811
 Manufactured in Australia by Lendal Pty Ltd
 25 Ledger Rd Balcatta WA 6021

Phone: (08) 9345 3400
 Fax: (08) 9345 1384
 Email: sales2@glide.com.au
 Web: www.glide.com.au



September 2016

Date: _____

Order No: _____

Number of pages: _____

Quote No: _____

Job No: _____

P/Slip No: _____

Frame colour: _____

Purchase Details: _____

Client Name _____ **Ph:** _____

_____ **Fax:** _____

_____ **Contact No:** _____

Standard Features using PG R-net

Centro® power wheelchairs are supplied with the following components as standard.

- Weight rating 175kg – AS3695 | Crash tested – AS 3696:19
- 50° Power Tilt with Drive inhibit switch.
- PG R-Net EL 90 PM and Colour screen Joystick module.
- Castors 8” front and 7” Rear pneumatic (Optional foam filled)
- Drive wheels 14” Pneumatic (Optional foam filled)
- Brakes Electro Magnetic and manual attendant
- Seat Height 45cm 0-46° Tilt and 48cm 4-50° tilt.(Measured floor to top of seat rail at front of chair)
- Motors – 2 pole 9 K/hr High Power (optional 4 pole 350 watt)
- Motor - Manual Brake release. (Optional Drive wheel clutches)
- Armrests Flip-up, adjustable height and with sliding arm pads.
- Choice of 4 colour finishes as Standard (Many more option refer to colour chart on our Web site)
- Vehicle Tie Down locations – Front & Rear
- Leg Hangers choice. Standard swing away or Drop-In heavy duty

CENTRO using STD Leg Hangers

- C-TSR Centro Tilt Seat**
Including Weight Shift 50° Power Tilt
- C-ER Centro Elite**
As per TS with Weight Shift 50° Power Tilt + 30° Power Recline. PG ISM included
- C-VL Centro Vertical Lift 50°**
50° Tilt + 30cm Vertical lift seat. PG ISM included - 46 seat height – *not available with Anterior tilt.*
- C-VLRB Centro Vertical Lift 50°**
50° Tilt + 30cm Vertical Lift Seat + Power Reclining Backrest + PG ISM
Included - 46 seat height -*not available with Anterior Till*

For
 Centre mount foot plate options - Page 3
 Legrest options - Page 3.
 Rnet Options - Page 4
 Upholstery Back / Seat Options - Page 4

CENTRO using “DROP-IN” Leg Hangers

- CD-TSR Centro Tilt Seat**
Including Weight Shift 50° Power Tilt 70° STD leg hanger.
- CD-ER Centro Elite**
As per TS with Weight Shift 50° Power Tilt and 30° Power Recline. PG ISM included
- CD-VL Centro Vertical Lift 50°**
As per TS including 50° tilt + 30cm Vertical Lift seat. PG ISM included - 46 seat height – *not available with Anterior tilt.*
- CD-VLRB Centro Vertical Lift 50°**
50° Tilt + 30cm Vertical Lift Seat + Power Reclining Backrest + PG ISM
Included - 46 seat height -*not available with Anterior Till*

Colour Options

- Standard Colour choice**
 Black Onyx Outback Red Island Blue White
- 4015 Colour Surcharge
Specify Colour.....
 - 4016 Seat Rails and Leg hangers colour Surcharge

Batteries and Charger

- 506074 2 X Battery 75amp/hr (long distance)
- 50609-CTE Charger 8amp CTE.

Seat Width

- 31cm 34cm 37cm (extra small seat module)
- 37cm 40cm 43cm (small seat module)
- 43cm 46cm 49cm 52cm 55cm (standard seat module)
- 58cm 61cm (XL Custom P.O.A)

For wider seat width please use Bariatric Script Form

- 310450 Leg Hangers MOUNTS 50mm WIDER (ideal for Power Elevating legs)

Seat Depth

- 31cm 34cm 37cm (short)
- 40cm 43cm 46cm 49cm (standard)
- 49cm 52cm 55cm 58cm (Extended Actuator Mnt required for power Recline.) **See below**

- 310049-1L Extended Actuator Mnt - for seat depth (49 – 58cm)
Uses non-standard Back Canes and Mnt Brkts
- 61cm 64cm 67cm (not available with Power recline)

Seat Height Options

- 310560L Seat Base 42cm 0–46° Tilt in-lieu of standard. (Measured from floor to top of seat rail) **Not available for VL.**
Available in seat width 37cm and over Custom seat frame for seat width under 37cm
- 310420 Raise Seat Base height
 - 50mm higher
 - 25mm higher

Seat Tilt and Seat Pan Options

- N/C Seat tilt 0 – 46 (footplate may interfere with castor wheel when in flat position) Refer to agent Rep
- N/C Seat tilt 4 – 50 Std **(not avail on VL)**
- 310261 Seat tilt 10 - 55 (P.O.A) **(not avail on VL)**
- 325501-(37-55) Seat Pan (Aluminium) 6mm to suit up to 55cm SD
- 310620 Seat Pan Split (1.2mm steel) suit 37cm to 58cm
- 310620-XL Seat Pan Split (1.2mm steel) suit 58cm to 72cm
- 325502-(37-55) Seat Board (Vinyl Covered)

Seat Anterior Tilt Options

Note: Foot plate may touch ground or castor wheel when in Anterior or Level tilt.

- 310260 Seat Tilt Anterior (-4° to 38°) standard. 48cm seat height when tilted level.

When using Low seat frame option -4° to 36°(SH 43cm when tilted level)

Motor/Drive Options

- Standard 2 Pole 170 RPM std - 9 k/hr
- 860046L 4 Pole 350 watt **Upgrade** -10 k/hr (4 pole recommended for user weight over 100kg)
- 860071-1L **120 Amp** Power module Upgrade (TS models need ISM)
- 860068L ISM upgrade for TS
- 860110 PG Advance Stability Module
- 310478L Drive Wheel Clutches in lieu of fixed hub.

Back Cane / Recline / Push Handle Options

- 310432 Pram Style Push handle
- 310610 Back spreader bar (Adjustable height) Non-Recline Only. Clamp-On type Push handle removed (No Charge)
- N/C Custom Height Back Canes
- 310190-C
 - Floor to top (103cm Std) cm
 - Back Cane height (58cm Std)cm from seat rail to top.
- 310438L Removable Back canes (non-recline ONLY)
- 310435 L **Fold Down Back** (Only fitted in conjunction with either removable seat or removable Back upholstery with Back Strut fitted. Or Power Recl) Strut - If no power recline for F/down back
- 325615

Important Note for VL chairs with Recline.

All new Vertical Lift chairs (80mm) with Recline now have different size rear actuator mounts depending on seat depth. These are different to the standard Centro recline bracket.

Back Angle Recline @ 150°

- 310475L Back angle (5 -60) Power Recline. In lieu of Std Power recline.

Important information.

All 150° recline are Customised to suit individual chairs. Once set, cannot be adjusted. Seek advice from Glide.

STD Centro - max Seat Depth 55cm
VL- max Seat Depth 52cm
Measured from Back Cane to seat pan front edge.

Rear Castor Size - Optional

- N/C 8" (200 x 50) in lieu of STD 7"
Note: 8" castor uses different suspension arm to standard 7" castor.
- N/C 6"x 2" solid rear castor in lieu of STD 7"
Note: 6" castor uses different suspension arm to standard 7" castor.

Wheel Options & Foam Filled Wheels (Grey)

- 202720-FL 14" Solid Foam filled in lieu of STD pneumatic
- 20064L Front Castor 200*50 (8") Foam filled in lieu Pneum
- 20064L Rear Castor 200*50 (8") Foam filled in lieu Pneum
- 20066-FL Rear Castor 7" foam Filled in lieu of Pneumatic
- 202715L 14" Wide Wheel - in lieu of std.14"
Fitted with Drive clutches. (Not available in Foam Filled)

Upgrading to (BNM) Black Non Marking Tyres

- 310580 **Black Non-Marking (BNM) Upgrade** Grey pneumatic to BNM pneumatic.
- 310581L BNM 14" Solid Foam filled (SET)
- 310582L BNM Front Castor 200*50 Foam filled (SET)
- 310584L BNM 7" Rear Castor foam filled (SET)
- 310583L BNM 8" FF Rear Castor 200*50 in lieu of 7" (SET)

Legrest Options

Knee to Heel Dimensions

(foot plate to top of seat pan)

Specify Size _____ cm

Custom Size Left _____ cm Right _____

39501 Cover Gel for 70° Leg hangers. (pair)

Centre Mount Foot Plate and Options

310460L Footrest - **Single Centre Mount.**
 310461 Calf Pads (Set) Centre mount foot plate.

310510L **Power Elevating** Single Centre mount legrest. with calf pads.

Standard Swing Away Hanger Type Options

Power Elevating

335229L Legrest, **Elevating Power** Individual swing away
 Left side Right side

33938 Cover Power Elevating Legs
 Left side Right side

335240 Short Knee to heel Foot Plate Adaptors P/ Elev. 12cm min. Specify knee to heelcm..

LS207 Lateral Knee protectors elevators.

Manual Elevating

51434L Legrest, **Elevating Manual** Type (with calf pad)
 12471L Footstem, 50mm longer for manual Elevating leg

Other Legrest Options

1259L Legrest, Vertical (knee to heel max. 30cm)
 3200765 External legrest release (standard swing away)
 51711L Stump Support 30cm long
 Left Right

Drop-In Legrest Options ONLY

310520-90L Leg hanger 90° in-lieu of std.
 39501 Cover Gel for 70° Leg hangers. (pair)

310525L Custom Leg Hanger Angle°
 In lieu of std 70°

Power Elevating

335229-DHL Legrest, **Elevating Power** Individual swing away
 Left side Right side

33938 Cover Power Elevating Legs (full length)
 Left side Right side

335240 Short Knee to heel Foot Plate Adaptors P/ Elev. 12cm min. Specify knee to heelcm..

LS207 Lateral Knee protectors elevators.

310550L Stump Support 30cm long
 Left Right

Note: Manual Elevators not available for Drop-in legrest.

Foot Plate Options

310496L **Angle Adjust - Footplate/Stem/Adjuster NEW**
 With Std size plate 200mm long
 With extended length 290mm long
 Rubber matt on footplate. (set)

85570

1250AL Angle Adj footplate and stem for Aluminium
 12601 Footplate, Adaptor (No gap between footplates, used on aluminium footplates only)

1254L Footplate One piece flip-up
 77032 Footplate, Interlocking Kit
 5126 Heel Loops

Armrest / Armpad Option

N/C **Armrest Std height 31.5cm - 37cm**
 310455L Armrest **Low** 24cm - 27cm
 310456L Armrest **Intermediate** 26cm -29cm
 310457L Armrest **Extra high** 35cm - 40cm.
Important Note: Extra High armsrest are custom built and may not be suitable for certain applications or users.

All armrest height measurements from seat frame to top of armpad.

310430L Armrest, No Gap between back canes
 Standard pad only
 310490 Armrest side panel (pair) for no-gap and gapped.
 310491 Armpad buffer bar (pair)

325602L Armpad, Waterfall (not with no-gap Arms)
 10655 Arm Trough, Swivel Bracket
 Right Left

10656 Arm Trough, Fixed Bracket
 Right Left

33160 Armrest **GLOVEBOX**
 Right Left

325604-10L Armpad longer 53cm long in lieu of standard.

Armpad (Narrow) Options – using 25mm Armrest Tube

This option is Not suitable with Trays.

310136L Armrest 25mm tube in lieu of Std,
 Choose Armpad below.

310630 Armpad Track system - Kit (including PG controller Mount) suit Narrow pad
 39451 Gel Armpads - suit above 360x55

310636 PG LCD/LED Joystick Mnt Btk - suit above
 310637 PG retractable Joystick Brk suit above
 Right Left

M Custom brkts available on application
 To suit



PG Rnet Controller Options

Note: Centro TS has an EL 90 amp power module with ONLY one actuator capabilities fitted. If more than one actuator is required, then the ISM upgrade kit must be selected. Elite and VL models come standard with Intelligent Seating Module (ISM).

- 860068L ISM **Upgrade for TS** (for two or more actuators) (Elite and VL models include ISM as Std)
- 860158 Actuator Switch Pad (5 way) LCD only.
- 860076L Col to LED j/stick module **Downgrade**
- 860082 Dual Attendant control (must tick box below)
- 326971 Bracket - Attendant for above
- 860254 Knob 38mm ball
- 860251 Knob 80mm stick
- 860252 Knob 48mm Mushroom
- 860255 Knob 70mm Soft Ball
- 32699 J/Stick used as attendant (including mnt brkt)
- 860075D J/Stick module not required. (Must select master control unit. E.g. Omni)

PG Lighting Modules KITS and Light KIT

- 860073-LM PG Lighting modules upgrade CJSM-LT
- 860201 PG Lighting modules upgrade / CJSM-2
- 860202 PG Lighting modules upgrade / CJSM-2-BT
- 860203 PG Lighting modules upgrade / LJSM lighting
- 860204 PG Lighting modules upgrade CJSM with Speed Pot/Toggle/Lighting in lieu. (Toggle used for On/Off and Profile)

NOTE: Lights not included in any of above. Please tick BOX below for light kits.

- 860073-K Lighting Kit (2 x LED head lights 1 x tail stop)
- 860068-LT ISM-LT (Must use for TS models with lights)

Joystick CJSM-2 in lieu of Std CJSM

- 860081L PG CJSM-2 J/stick in lieu of CJSM
- 860081-BTL PG CJSM-2 Bluetooth in lieu CJSM

Controller Mounting Option and Placement

- 860521L Drop Down J-Stick Brk in lieu of std
- 326935L Swing away control bracket
- 310380L Retractable J/Stick bracket
- 310492L Joystick mnt brkt with cage R-net LCD

- Left hand side
- Right hand side
- Other

Speciality R-Net Controller Options

- 860078 Omni Module
- 860060 Bracket - Omni swivel/adjust mount bracket.
- 860084-1 Compact J/stick (suit Omni)
- 860084 Compact J/stick (R-net Bus)
- 860060-G Goose neck mnt bracket Omni
- 860083 Remote Button Interface (If switching is required external of PG controller.
- 860088 Bluetooth PC / Andriod mouse control
- 860105 Bluetooth iDevice mouse control
- 860103 Cable Bluetooth external switch 1
- 860103 Cable Bluetooth external switch 2
- 860087 Input / output Module

R-Net Chin Control Options

- 32692 Chin - Power Swing Away KIT with two switches. Choose J/Stick type below
- 32693 **Note: Jay Back™ requires custom Chin Kit.** Chin – manual Swing Away KIT with 2 switches Choose J/Stick type below
- 860080 Joystick JC200 for swing away chin.(Omni)
- 860084 Compact J/stick (R-net Bus cable)
- 860084-1 Compact J/stick (suit Omni)
- 860085 Compact Chin Kit for above J/Stick. FOR ABOVE
- 860086 Mini Joystick HMC (lip) and interface.
- 860083 Remote Button Interface. *Ideal for Swing away Chin or when operating actuator separate from controller.*

Spec Switches

- 860053 Switch Spec (Green) Qty =
- 860055 Switch Spec (Yellow) Qty =
- 860056 Switch Spec (Red) Qty =
- 860057 Switch Spec (Black) Qty =

- 8603125 Buddy Buttons Qty = _____
Colour s _____

Seating / Upholstery Options

FX Backrest Options

FX Style Pelvic Support Std Thoracic Support Flat Custom

3397- (37 -55) FX Backrest Upholstery
Specify Fabric and Mnt Bracket below

310375 Quick release Mount Kit
 Standard Fixed Mount N/C item

*Note: Specify Seat width on front page.
require. 3397-37 to 3397-55 for costing.*

- Dartex (standard)
- Aero Mesh
- Vinyl Insert

FX Seat Cushions

3396- (37 -55) FX Contour Seat Cushion.
 110mm thick (standard)
 80mm thick

- Dartex (standard)
- Aero Mesh
- Vinyl Insert

Basic Back Upholstery Options

325401 Basic Backrest Upholstery, Foam over Ply
 Fabric Insert (standard)
 Vinyl Insert

31074 Bracket Multi holed for backrest mounting

33909 Wing Extension basic
 Left side Right side

Note: Not to be used as safety belt when transporting in motor vehicles.

NB215I-B1 Seat Belt, Plastic buckle
 NB205L-B1 Seat Belt, Car Type Buckle
Please use BodyPoint order form for other Restraint options.

Wool Covers

Please specify where the cover needs to be fitted and if you require the cover as a pair.

Trays

1582 Tray, Flip up fold away
(Must be used in conjunction with drop down controller bracket)

1583 Tray, Slide in
 15810 Frame only, For slide in tray no slides
 15820 Frame only for flip up fold away tray
 15840 Bracket, Slide in S8 armrest

Please Note: It is recommended that a Drop Down control bracket be used when trays are fitted.

NXT Backrest Options Various sizes and types available on application.

Size/Type _____

APT Suspension setup.

..... **Single Spring – (Standard)**
 **Double spring**
for more information on suspension setup please refer to APT user guide.

Rear Spring

Type A - Soft up to 120 kg **(Standard)**
 Type B - Hard 120 kg and over
Note: All spring types are a guide only.

Headrests

32620 Headrest Deluxe, GLIDE with bracket and clamp
 310204 Bracket welded on Spreader Bar
 39305 Daher Combination Headrest (Pad only)
 39300 Daher Large Headrest (Pad Only)

39301 Daher Lateral Support Headrest (Pad only)
 39303 Daher Neck Rest (Pad only)
 39302 Daher Small Headrest (Pad only)
 39306 Daher Headrest Mounting Hardware
For use with above pads.

Lateral Supports

For Lateral Supports please use separate Lateral Support Order Form

Postural Support Options

Accessories

310395 Crutch Holder (cylinder style)
 711-C Oxy Bottle carrier (spreader bar mnt)

