



May 2020

Glide Rehabilitation Products
 ABN 60 157 412 811
 Manufactured in Australia by Lendal Pty Ltd
 25 Ledger Rd Balcatta WA 6021

Phone: (08) 9345 3400
 Fax: (08) 9345 1384
 Email: sales2@glide.com.au
 Web: www.glide.com.au



Date: _____

Order No: _____

Number of pages: _____

Quote No: _____

Job No: _____

P/Slip No: _____

Frame colour: _____

Purchase Details: _____

Client Name: _____

Ph: _____

Fax: _____

Contact No: _____

Standard Features using PG R-net

Centro ® power wheelchairs are supplied with the following components as standard.

- Weight rating 175kg – AS3695 | Crash tested – AS 3696:19
- Max user weight when used as Occupant Vehicle Transport 159kg
- 50° Power Tilt with 30cm Vertical lift.
- PG R-Net EL 90 PM and Colour screen Joystick module.
- Castors 8” front and 7” Rear pneumatic (Optional foam filled)
- Drive wheels 14” Pneumatic (Optional foam filled)
- Brakes Electro Magnetic and manual attendant
- Seat Height 45cm.(Measured floor to top of seat rail at front of chair)
- Motors – 2 pole 9 K/hr High Power
- Optional 4 pole Motor 350 watt 10k/hr
- Motor - Manual Brake release. (Optional Drive wheel clutches)
- Armrests Flip-up, adjustable height and with sliding arm pads.
- Choice of 4 colour finishes as Standard (Many more option refer to colour chart on our Web site)
- Vehicle Tie Down locations – Front & Rear
- Leg Hangers choice. Standard swing away or Drop-In heavy duty

CENTRO – VL using STD Leg Hangers

C-VLS Centro Vertical Lift Std 50°
 50° Tilt + 30cm Vertical lift seat. PG ISM included - 46 seat height.
 All VL's now available with Anterior Tilt.

C-VLRB Centro Vertical Lift 50°
 50° Tilt + 30cm Vertical Lift Seat + Power Reclining Backrest + PG ISM
 Included - 46 seat height

Note:
RB with seat width over 55cm supplied with non-adjustable width back.

For
 Centre mount foot plate options - Page 3
 Legrest options - Page 3.
 Rnet Options - Page 5
 Upholstery Back / Seat Options - Page 6

CENTRO - VL using “DROP-IN” Leg Hangers

CD-VLS Centro Vertical Lift Std 50°
 As per TS including 50° tilt + 30cm Vertical Lift seat. PG ISM included - 46 seat height .

CD-VLRB Centro Vertical Lift 50°
 50° Tilt + 30cm Vertical Lift Seat + Power Reclining Backrest + PG ISM
 Included - 46 seat height -

Note:
RB with seat width over 55cm supplied with non-adjustable width back.

Colour Options

Standard Colour choice

- Black Onyx Outback Red Island Blue White

4015 Colour Surcharge

- Electric Blue Horizon Blue Silver Shadow
 Emerald Green Acid Green Merlot
 Vivid Orchid Lemon Gold Fluro Pink
 Firestorm Red Samurai Sunset

- 4016 Seat Rails and Leg hangers colour Surcharge
 91601 Drive wheels x 2 same colour as chair.
 91602 All wheels same colour as chair (not available with 6” wheel)

Batteries and Charger

- 506074 2 X Battery 85 amp/hr (long distance)
 50609-CTE Charger 8amp CTE.

Seat Width and Seat frame size.

- 310231-80L 34cm 37cm 40cm 43cm 46cm
 - Std 43cm 46cm 49cm 52cm 55cm
 - 310233-80L 58cm 61cm 64cm *
- Max User weight 175kg.
please specify use weight. _____ KG

- 310238L * *Reclining Back with seat width over 55cm supplied with (non-adjustable back rest width)*

- 310450 Leg Hangers MOUNTS 50mm WIDER (ideal for Power Elevating legs)

Seat Depth

- 31cm 34cm 37cm 40cm 43cm 46cm 49cm
- 52cm 55cm 58cm (requires limit switch when VLRB)
- 61cm 64cm (requires limit switch when VLRB)

STD Centro with Recline - max Seat Depth 61cm

- 310275 Limit Switch Kit for VLRB when seat depth = or greater than 52cm. (Tilt reduced to 36 degrees)

Seat Depth Setup measurements.

All SD setup measurements are to centre of Back Upholstery. When no Back upholstery supplied measurements are to Backcane.

Seat Height Options

- 310420 Raise Seat Base height
- 50mm higher
- 25mm higher

Seat Pan Options

- 325501-(37-55) Seat Pan (Aluminium) 6mm to suit up to 55cm SD
- 310620 Seat Pan Split (1.2mm steel) suit 37cm to 58cm
- 310621 Seat Pan Split (1.2mm steel) suit 55cm to 72cm
- 325502-(37-55) Seat Board (Vinyl Covered)

Seat - Anterior Tilt Options

Note: Foot plate may touch ground or castor wheel when in Anterior or Level tilt.

- 310260 -VL Seat Anterior - Wedges Upgrade Tilt (-4° to 45°)
Note: SH 48cm when seat tilted level.
- 310305L ISM mounted rear of chair. (in lieu of front mnt).
This may be needed when using Power Centre mnt Legrest or when anterior Tilt is required.
Custom Anterior Angle may be available on request. _____ °

Motor/Drive Options

- Standard 2 Pole 170 RPM std - 9 k/hr
- 860046L 4 Pole 350 watt **Upgrade** -10 k/hr
(4 pole recommended for user weight over 100kg)
- 860071-1L **120 Amp** Power module Upgrade
(TS models need ISM)
- 860068 ISM upgrade for TS
- 860110 PG Advance Stability Module
- 310478L Drive Wheel Clutches in lieu of fixed hub.

APT Suspension setup.

- **Single Spring - (Standard)**
- **Double spring**

Rear Spring

- Type A - Soft up to 120 kg (Standard)**
 - Type B - Hard 120 kg and over**
- Note:** All spring types are a guide only.

Back Cane / Recline / Push Handle Options

- 310432L Pram Style Push handle
- 310610 Back spreader bar (Adjustable height)
Non-Recline Only. Clamp-On type
Push handle removed (No Charge)
- N/C Custom Height Back Canes
- 310190-C Floor to top (103cm Std) cm
 Back Cane height (58cm Std) cm
 from seat rail to top.

- 310438L Removable Back canes (non-recline ONLY)
- 310435 L **Fold Down Back** (Only fitted in conjunction with either removable seat or removable Back upholstery with Back Strut fitted. Or Power Recl)
- 325615 Strut - If no power recline for F/down back

Important Note:

The new **Compact Recline System** uses different Backcanses and Arm/Backcane mounts to the standard non-recline chairs.

Back Angle Recline @ 147° Compact System

- 310475L Back angle (5 -57) Power Recline. In lieu of Std 38 Power recline.

Front Castor Size - Optional

- 310671L 7" Front Castor in lieu 8"

Rear Castor Size - Optional

- 310672L 8" (200 x 50) in lieu of STD 7"
Note: 8" castor uses different suspension arm to standard 7" castor.
- 310673L 6"x 2" solid rear castor in lieu of STD 7"
Note: 6" castor uses different suspension arm to standard 7" castor.

Castor Wheel Options & Foam Filled Wheels (Grey)

- 202720-FL 14" Foam filled in lieu of STD pneumatic
- 20064L Front Castor 200*50 (8") Foam filled in lieu Pneum
- 20064L Rear Castor 200*50 (8") Foam filled in lieu Pneum
- 20066-FL Rear Castor 7" foam Filled in lieu of Pneumatic

Drive wheel Size options

- 202719L 14" Wide Wheel - **Fixed Drive** in lieu of Std.
(Not available in Foam Filled)
- 202715L 14" Wide Wheel - **Clutch Drive** in lieu of Std.
(Not available in Foam Filled)

Upgrading to (BNM) Black Non Marking Tyres

Note: If upgrading to BNM tyres you must include the below codes if any FF tyres are required.

- 310580 Black Non-Marking (BNM) Upgrade**
Grey pneumatic to BNM pneumatic.
- 310581L BNM 14" Solid Foam filled (SET)
- 310582L BNM 8" Front Castor 200*50 Foam filled (SET)
- 310584L BNM 7" Rear Castor foam filled (SET)
- 310583L BNM 8" FF Rear Castor 200*50 in lieu of 7" (SET)

Legrest Options

Knee to Heel Dimensions
(foot plate to top of seat pan)

Specify Size _____ cm

Custom Size Left _____ cm Right _____

39501 Cover Gel for 70° Leg hangers. (pair)

Centre Mount Foot Plate and Options

310460L Footrest – **Single Flip-Up Centre Mount.**

310463L Foot Plate – **Dual Plate in lieu of Single.**

310461 Calf Pads (Set) Centre mount foot plate

Power Centre Mount Elevating

310510L **Power Elevating** Single-plate Centre mount Legrest with calf pads.

310463L **Foot Plate** Dual-plate in lieu of Single

Swing-Away leg hanger Options

Leg Hanger angle Options

STD Swing away Leg hanger 70°

51432-65L Swing away Leg hanger 65° in lieu of 70°

Power Elevating

335229L Legrest, **Elevating Power** Individual swing away
 Left side Right side

33938 Cover Power Elevating Legs
 Left side Right side

335240 Short Knee to heel Foot Plate Adaptors P/ Elev. 12cm min. Specify knee to heelcm..

LS207 Lateral Knee protectors elevators.

Manual Elevating

51434L Legrest, **Elevating Manual** Type (with calf pad)

12471L Footstem, 50mm longer for manual Elevating leg

Other Legrest Options

51433L Legrest, Vertical (knee to heel max. 30cm)

3200765 External legrest release (standard swing away)

51711L Stump Support 30cm long
 Left Right

Drop-In Legrest Options ONLY

310520-90L Leg hanger 90° in-lieu of std.
 39501 Cover Gel for 70° Leg hangers. (pair)

310525L Custom Leg Hanger Angle°
In lieu of std 70°

Power Elevating

335229-DHL Legrest, **Elevating Power** Individual swing away
 Left side Right side

33938 Cover Power Elevating Legs (full length)
 Left side Right side

335240 Short Knee to heel Foot Plate Adaptors P/ Elev. 12cm min. Specify knee to heelcm..

LS207 Lateral Knee protectors elevators.

310550L Stump Support 30cm long
 Left Right

Note: Manual Elevators not available for Drop-in legrest.

Foot Plate Options

310496L **Angle Adjust - Footplate/Stem/ Swing away**
 With Std size plate 200mm long
 With extended length 290mm long

310497L **Angle Adjust - Footplate/Stem/ Drop-in**
 With Std size plate 200mm long
 With extended length 290mm long

85570 Rubber matt on footplate. (set)
 310498 One piece flip-up fit on top Angle Adj plate.
Hinge Left Right side

12601 Footplate, Adaptor (No gap between footplates, used on aluminium footplates only) not suitable for Angle adj.

1254L Footplate One piece flip-up (std plates)
 77032 Footplate, Interlocking Kit)for std plates)
 5126 Heel Loops

Armrest Option

- N/C **Armrest Std height 31.5cm - 37cm**
 - 310455L Armrest **Low** 24cm - 27cm
 - 310456L Armrest **Intermediate** 26cm -29cm
 - 310457L Armrest **Extra high** 35cm - 40cm.
- Important Note:** *Extra High armsrest are custom built and may not be suitable for certain applications or users.*
- All armrest height measurements from seat frame to top of armpad.*
-
- 310430L Armrest, No Gap between back canes
Standard pad only
 - 310490 Upgrade Armrest side panel
-

Armpad Option

- 310491 Armpad buffer bar
 - 325613 Upgrade Armpad covered in **NEOPRENE** (set)
-
- 325602L Armpad, Waterfall (not with no-gap Arms)
 - 325602-40L Armpad, Waterfall 40mm side
 - 325606L Armpad, Waterfall 53cm
 - 325609 Add on - Armpad covered in **DARTEX** each
 - 325610 Add on - Waterfall covered in **DARTEX** (set)
 - 325612 Add on - **Pocket** on waterfall (1 side)
- (not available in Neoprene)
- 325614 Add on - Waterfall covered **NEOPRENE on DARTEX (set)**
-
- 10656 Arm Trough, Fixed Bracket
 - Right Left
 - 33160 Armrest **GLOVEBOX**
 - Right Left
-
- 325604-10L Armpad longer 53cm long in lieu of standard.

Gel Inserts - Armpad.

- 325690 Add-on **Gel-insert** Std Pad (ea).....
 - 325691 Add-on **Gel-insert** Waterfall (ea)
- (Only used in conjunction with Dartex)*

Narrow Armpad Options – using 25mm Armrest Tube

(This option is Not suitable with Trays.)

- 310136L Armrest 25mm tube in lieu of Std,
Choose Armpad below.
-
- 310630 Armpad Track system - Kit (including PG controller
Mount) suit Narrow pad
 - 39351 Gel Armpads - suit above 360x55
-
- 310636 PG LCD/LED Joystick Mnt Btk - suit above
 - 310637 PG retractable Joystick Brk suit above
 - Right Left
 - M Custom brkts available on application
To suit
-



PG Rnet Controller Options

Note: All VL models come standard with Intelligent Seating Module (ISM).

- 860158 Actuator Switch Pad (5 way) LCD only.
- 860158-2 Actuator Switch Pad for CSJM2 only
- 310608 Bracket for 5 way switch. Mnt behind Joystick

- 860076L Col to LED j/stick module **Downgrade**
- 860082-U Dual Attendant control upgrade including Brkt.
- 860254 Knob 38mm ball
- 860251 Knob 80mm stick
- 860252 Knob 48mm Mushroom
- 860255 Knob 70mm Soft Ball
- 32699 J/Stick used as attendant (including mnt brkt)
- 860075D J/Stick module not required. *(Must select master control unit. E.g. Omni)*

- 310305L ISM mounted rear of chair. (in lieu of front mnt). *This may be needed when using Power Centre mnt Legrest or when anterior Tilt is required.*

Joystick Modules and CJSM-2 in lieu of Std CJSM (When not using Lights)

- 860081L PG CJSM-2 J/stick in lieu of CJSM
- 860081-BTL PG CJSM-2 Bluetooth in lieu CJSM
- 860102L PG CJSM modules upgrade with **Speed Pot/Toggle in lieu.** *(Toggle used for On/Off and Profile)*

PG Lighting Modules KITS

When using Lights. Must tick one Box below

- 860073-LML PG Lighting modules upgrade CJSM-LT
- 860201L PG Lighting modules upgrade / CJSM-2
- 860202L PG Lighting modules upgrade / CJSM-2-BT
- 860203L PG Lighting modules LED joystick LJSM
- 860204 L PG Lighting modules upgrade CJSM with Speed Pot/Toggle/Lighting in lieu. *(Toggle used for On/Off and Profile)*

NOTE: Lights not included in any of above.
Please tick BOX below for light kits.

Light KITS

- 860073-K Lighting Kit (2 x LED head lights 1 x tail stop)
- 860068 ISM **(Must tick for TS models with lights)**

Joystick Mounting Option and Placement

- 860521L Drop Down J-Stick Brk in lieu of std
- 326935L Swing away control bracket
- 310380L Retractable J/Stick bracket
- 310492L Joystick mnt brkt with cage R-net LCD
- 310493L Height Adjustable joystick mount - 70mm link

- Left hand side
- Right hand side
- Other

Speciality R-Net Controller Options

- 860078 Omni 2 Module (choose Screen Mnt brkt below)
- 860060 Bracket - Omni swivel/adjust mount bracket.
- 860060-G Goose neck mnt bracket Omni

- 860084-1 Compact J/stick (suit Omni)
- 860084 Compact J/stick (R-net Bus)

- 860083 Remote Button Interface (If switching is required external of PG controller.
- 860088 Bluetooth PC / Andriod mouse control
- 860105 Bluetooth iDevice mouse control
- 860103 Cable Bluetooth external switch 1
- 860103 Cable Bluetooth external switch 2

- 860087 Input / output Module

R-Net Chin Control Options

- 32692 Chin - Power Swing Away KIT with two switches. *Choose J/Stick type below*
Note: Jay Back™ requires custom Chin Kit.
 Chin – manual Swing Away KIT with 2 switches
Choose J/Stick type below
- 32693 Joystick JC200 for swing away chin.(Omni)
- 860080 Compact J/stick (R-net Bus cable)
- 860084 Compact J/stick (suit Omni)
- 860085 Compact Chin Kit for above J/Stick. FOR ABOVE
- 860086 Mini Joystick HMC (lip) and interface.
- 860083 Remote Button Interface. *Ideal for Swing away Chin or when operating actuator separate from controller.*

Spec Switches

- 860053 Switch Spec (Green) Qty = _____
- 860055 Switch Spec (Yellow) Qty = _____
- 860056 Switch Spec (Red) Qty = _____
- 860057 Switch Spec (Black) Qty = _____

- 8603125 Buddy Buttons Qty = _____
 Colour s _____

Seating / Upholstery Options

FX-2 Backrest and options

- 3399- (37 -55) FX2 Backrest
Specify Style, Height and Fabric below.

Style Pelvic Support (Std) Thoracic Support Flat

Back Height 49cm (Std) 54cm 59cm

Note: Specify Seat width on front page. require. 3399-34 to 3399-61 for costing.

- Dartex (standard)
- Aero Mesh

Please Note:

If this Backrest is to be used for Wheelchair Occupant - Vehicle Transport, then a Glide Head rest or equivalent head support must be fitted to the backrest or fixed to the wheelchair frame.

FX Seat Cushions

- 3396- (37 -55) FX Contour Seat Cushion.
 - 110mm thick (standard)
 - 80mm thick

- Dartex (standard)
- Aero Mesh
- Vinyl Insert

Basic Back Upholstery Options

- 325401 Basic Backrest Upholstery, Foam over Ply
 - Fabric Insert (standard)
 - Vinyl Insert
- 310074 Bracket Multi holed for backrest mounting
- 33909 Wing Extension basic
 - Left side Right side

Please Note:

If this Backrest is to be used for Wheelchair Occupant – Vehicle Transport, then a Glide Headrest or equivalent head support must be fitted to the backrest or fixed to the wheelchair frame.

NXT, SPEX and Jay Backrest Options

Various sizes and types available on application.

Size/Type _____

Headrests

- 32620 Headrest Deluxe, GLIDE with bracket and clamp
- 310204 Bracket welded on Spreader Bar
- 39305 Daher Combination Headrest (Pad only)
- 39300 Daher Large Headrest (Pad Only)

- 39301 Daher Lateral Support Headrest (Pad only)
- 39303 Daher Neck Rest (Pad only)
- 39302 Daher Small Headrest (Pad only)
- 39306 Daher Headrest Mounting Hardware
For use with above pads.

Lateral Supports

For Lateral Supports please use separate Lateral Support Order Form

Postural Support Options

- NB215L-B1 Seat Belt, Plastic buckle
- NB205L-B1 Seat Belt, Car Type Buckle
Please use BodyPoint order form for other Restraint options.

Note: Not to be used as safety belt when transporting in motor vehicles.

Wool Covers

- Please specify where the cover needs to be fitted and if you require the cover as a pair.

Trays

- 1582 Tray, Flip up fold away
(Must be used in conjunction with drop down controller bracket)
- 1583 Tray, Slide in
- 15810 Frame only, For slide in tray no slides
- 15820 Frame only for flip up fold away tray
- 15840 Bracket, Slide in S8 armrest

Please Note: It is recommended that a Drop Down control bracket be used when trays are fitted.

Accessories

- 310395 Crutch Holder (cylinder style)
- 7711-C Oxy Bottle carrier (spreader bar mnt)
- 310660 IV pole to suit Centro
- 160010 Holder - Cup self-levelling with Bracket.
- 160020 Holder - Phone with clamp-on Arm brkt.
- 160025 Holder – Cup stainless fixed with Brkt,

