

LightGlide Plus

(G2LP)



August 2022

Glide Products Pty Ltd
 ABN 28 645 050 255
 Manufactured in Australia
 66 Prindiville Dve WANGARA WA 6065

Phone: (08) 9345 3400
 Email: sales2@glide.com.au
 Web: www.glide.com.au

Date:

Order No:

Number of pages:

Quote No:

Job No:

P/Slip No:

Frame Colour

Purchase Details: _____

Contact Name: _____

Client Name: _____

Contact No: _____

As Standard (Adult)

The **LightGlide Plus (G2LP)** is supplied with the following components as standard:

- Leg rest - adjustable, detachable, swing away with flip up footplates, bolt-on stems
- Armrest - full length with moulded arm pads
- Brakes - high mounted
- Velcro Calf Strap
- Castor - 7" wide MCP
- Wheels 24" Diameter rear/ pneumatic tyre
- Upholstery padded back Sail Cloth type
- 51cm Seat Height std

Legend: QR- Quick Release Axles
 L- In lieu of Standard

Options

Power Assist Conversion Kit

Note: Power Assist not recommended for user weight over 130kg. Battery box attached to RHS wheel as standard

- 63020-24L 24' Single mode
- 63020-22L 22" Single mode
- 63020-24-BPL 24' Single mode with battery box in backpack
- 63021 Two mode switch

Note: for other power add on products please see Glide representative

Wheelchair Codes & Sizes

- L-P37 Seat width 37cm
- L-P37QR As Above with QR wheels
- L-P40 Seat width 40cm
- L-P40QR As Above with QR wheels
- L-P43 Seat width 43cm
- L-P43QR As Above with QR wheels
- L-P46 Seat width 46cm
- L-P46QR As Above with QR wheels
- L-P49 Seat width 49cm
- L-P49QR As Above with QR wheels
- L-P52 Seat width 52cm
- L-P52QR As Above with QR wheels
- L-P55QR Seat width 55cm
- L-P60QR Seat width 60cm

Seat Depth

- 37cm 40cm 43cm 46cm 49cm 52cm
- 55cm 60cm

Back rest Upholstery Height

- 37cm 40cm 43cm 46cm 49cm 52cm

Seat Heights

Note: For seat heights 40cm (20" & 5" wheels), 43cm (20" & 6" wheels), 46cm (24" & 7" wheels) use low seat conversion kit **Part no: 5144L. Seat depth may be affected on shorter lengths. **53cm use part number 50944L**.*

- 5144L *Lower seat conversion Kit
- *40cm Seat Height Using 20" rear & 5" front wheels
- *43cm Seat Height Using 20" rear & 6" front wheels
- *46cm Seat Height Using 20" rear & 5" front wheels
- *49cm Seat Height Using 24" rear & 7" front wheels
- *51cm Seat Height Using 24" rear & 7" front wheels
- *53cm Seat Height Using 24" rear & 7" front wheels
- *57cm Seat height Using 25" rear & 7" front wheels
- *59cm Seat height Using 26" rear & 7" front wheels
- 50944L 53cm, 57cm, 59cm seat height
- 2007 Fork – 57cm, 59cm seat height

Note: For other seat height combinations, please contact Glide Products.

Seating and Backrest Options

- 5995 Fold down and removable backrest frame
- M Removable backrest frame with quick release knob
- 72203 Slide in under seat board
- 59953L Reclining Backrest (check Availability)
- 72204 Board – Drop Seat vinyl – not padded
- 25mm drop 50mm Drop

Backrest Angle

Standard rear quarter frame backrest angle 90° - 16.5cm from seat upholstery, Back Cane insert at 7" into rear ¼ frame

- 51408L Backrest angle 95°
- 51409L Back rest Angle 100°
- Mod Extend rear quarter frame (nominate angle)

Backrest Canes and Push Handle

Standard Push Handle- Aluminium and Arc Shape Handle

- 50625L Stainless steel Back Cane (7 Deg Std)
- Straight Back Cane
- Horizontal Push handle
- Grip type G2
- 7707 Grip type G1/G3 (only for horizontal push handle)
- (Note: using G1/G3 grip must tick 50625L)**
- M Pram Style Handle (removable)
- 50633 Adjustable Height Push handle (includes Extended rear quarter frame and nominate angle)

Upholstery Options

- No code Velcro adaptors (Velcro hook facing up)
- 720910 - (13) Tension Adjustable Backrest
- Complete with backrest to seat connecting flap**
- 72008 Vinyl Back upholstery
- 72009 Vinyl Seat upholstery
- 72050 Cordurah Seat Upholstery
- 72051 Cordurah Back Upholstery
- 3399-(37) FX Backrest (Incl. quick Release Brackets)
 - Standard Mid-Lateral Flat
 - Dartex Aeromesh Vinyl

NXT, Jay, Varilite & SPEX firm backrest complete with adjustable brackets available. Refer catalogue.

When using any of the above codes and backrest, please tick corresponding upholstery panel below or if no panels are required for rebate

- 7208-D STD Seat upholstery (Deleted)
- 7209-D STD Back upholstery (Deleted)
- 5062 Backrest Ext. (Avail. in 10cm increments)
 - 10cm 20cm 30cm 40cm
- 720950 Backrest to seat connecting flap
- 1327 Upholstery Tightener

Armrest

- 1010L Arm, Adjustable height
- 1015L Arm, Adjustable Desk
- 1025L Arm, Desk Type
- 1045L Arm Pad Large (recliner type)
- 10656 Arm trough Basic
 - RHS LHS
- 10655 Arm trough (Swivel)
 - RHS LHS

NOTE: Daher and Ottobock adjustable arm trough and arm guides available (refer catalogue)

Knee to Heel - Seat Upholstery to Footplate

- 23cm – 30cm Using Vertical legrest _____ cm
- 30cm – 36cm Using plastic footplate _____ cm
- 36cm – 49cm Using plastic footplate _____ cm
- 31cm – 38cm Using aluminium footplate _____ cm
- 37cm – 51cm Using aluminium footplate _____ cm
- Custom Size _____ cm - _____ cm

Axles and Mount Plates

- 5040L Axle Mount Plate – Amputee / Quad Type
- 5051L Axle Mount Plate – Cambered QR axle only

Castor Wheel Options

- 20059L 4" Urethane Type Castor Wheel
- 20194L 4' Soft roll with silver hub (1.5cm wide)
- 20060L 5" MCP type Castor Wheel
- 20054L 5" Urethane Type Castor Wheel
- 20195L 5" Soft roll- silver hub (1.5cm wide)
- 20196L 6' Soft roll with silver hub (1.5cm wide)
- 20066-FL 7" Wheel foam Filled in lieu of solid
- 20066A 7' pneumatic aluminium hub
- 20064A 8' pneumatic 200x50 aluminium hub
- 20064L 8" 200x50 foam fill in lieu of solid

Pushrims

- 1285L Pushrim 1/2" Gap
- 1295L Pushrim 24" Projection 8 Vertical Connections
- 1315L Pushrim 8 Connecting Lugs
- 13001 Pushrims welded lugs all sizes
- 130021L Pushrim 20" Plastic Coated
- 13002L Pushrim 24" Plastic Coated
- 13100L Max Grepp Pushrim"
- 13101L Ergo Rim

Rear Wheels

- 51545L Wheel, 12" Transit wheel Conversion
- 20282-PUL Wheel, 24" Solid tyre
- 202731L Wheel, 20" Wheel
- 202890-20L Wheel, 20" F1 (Ultralight)
- 202890-24L Wheel, 24" F1 (Ultralight)
- 20277L Wheel, 24" AERO Wheel
- 20278L Wheel, 24" Spider Wheel
- 202900-22 Wheel, 22" Sports Wheel C/W 1" tyre (light weight)
- 202900-24 Wheel, 24" Sports Wheel C/W 1" tyre (light weight)
- 202900-25 Wheel, 25" Sports Wheel C/W 1" tyre (light weight)
- 202900-26 Wheel, 26" Sports Wheel C/W 1" tyre (light weight)
- 202858L Wheel, 24" BMX Wheel
- 5154L One Arm Drive Conversion
 - Right Left

Spoke Guards

- 2031 Spoke Guards 24"
- 20315 Spoke Guards 20

Tyres/Tubes in-lieu of Std.

- 202631L Tyre, 24" High Pressure
- 202651L Tyre, PolyUrethane 20" Solid
- 20269L Tyre, PolyUrethane 22" Solid
- 20267-L Tyre, PolyUrethane 24" Solid
- 202633L Tyre, 24" BMX with PU insert
- 20254L Tube, 24" Thorn Proof

Anti-Tip wheels / Tilt Bars / Tiedowns

- 5010 Anti Tip Bar & Roller
- 63022 Swing away anti-tip bar and roller
- M Bracket for swing away anti-tippers
- 5139 Tilting Bars (Cannot be fitted with anti tip 5010)
- 50933L Tiedown, front, 49cm
- 50934L Tiedown, front, 51cm
- 50935L Tiedown, front, 53cm
- 50936L Tiedown, front, *40cm, *43cm, *46cm
- 5047 Tiedown, rear

Brakes

- 5064 Brake Extension 10cm Right Left
- 5066 Brakes Rear Mounted
- NO CODE Brakes Low Mounted
- 50902L Push to Lock (composite)
- 50901 Scissor lock black (composite)

